

【 食品、水產、速凍食品機械 】



上申機械實業有限公司

SHANGSHEN MACHINERY ENTERPRISE CO.,LTD.

上海申發機械有限公司

SHANGHAI SHENFA MACHINERY CO.,LTD.

台灣省新北市蘆洲區復興路323巷181之6號
NO.181-6,LANE 323,FUH SHING ROAD,LUCHOU DISTRICT,
NEW TAIPEI CITY,TAIWAN,R.O.C.
TEL:00886-2-22852085 FAX:00886-2-22883700
E-mail:shen.fa2085@msa.hinet.net
Http://www.shangshen.com.tw

上海市松江區九亭鎮九涇路260號
NO.260,JIUJING ROAD,JIUTING TOWN,SONG JIANG DISTRICT,
SHANGHAI 201615,CHINA.
TEL:021-67639056 FAX:021-57638987
E-mail:shenfa2085@163.com
Http://www.shen-fa.com





上申機械實業有限公司

SHANGSHEN MACHINERY ENTERPRISE CO.,LTD.

多用途自動連續式油炸機

Multi-Functional Auto Continuous Fryer



內外銷超過500臺以上實績，臺灣專業全自動油炸機制造工廠。適用於油炸：洋芋片、薯片、蝦條、豆果子、蠶豆、紅燒魚、鷄塊、沙琪瑪、魚排、魚漿（魚糜）製品、魚丸、冷凍調理食品。

Achievement of selling 500 units for export and import. The specialized factory in Taiwan manufacturing auto fryer. It is suitable for frying potato chips, yam slice, shrimp crack, green bean, broad bean, fried fish, diced chicken meat, Sachima biscuit, fish steak, surimi food, fish ball, frozen food.

機械特點：

- ★自動懸吊系統設計，可將整台輸送機吊起，易於清洗。
- ★連續過濾裝置，可隨時過濾油炸雜質，防止油質劣化及酸價提高，延長油炸油壽命。
- ★油炸油溫度全自動控制，油炸時間依需要可自動調節。

Feature:

- ★The auto-lift design conveyor is easy for cleaning.
- ★The filter continuously remove carbide from fryer to maintain frying oil quality.
- ★Oil temperature can be certainly controlled. Frying time can be adjustment.

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-240	4300L × 1100W × 2700H	4 ¹ / ₂ HP	250kg/hour(時)
SF-242	6300L × 1100W × 2700H	6 ¹ / ₂ HP	400kg/hour(時)
SF-244	7300L × 1250W × 2800H	7 ¹ / ₂ HP	600kg/hour(時)

企業概況 Company profile

各種食品、水產、冷凍調理食品機械整廠專業製造

Whole plant equipment for Food, Sea Food, Frozen food processing machine.

本公司成立於1977年，專業製造洋芋片、蝦條、魷魚絲、魚絲、貢丸、魚丸、墨魚丸、魚漿製品、模仿蟹肉、魚糕、魚板等各種食品加工機械。

The company was set up in 1977. We specialized in whole plant equipment for producing potato chips, Shrimp crack, squid shredding, fish shredding, meat ball, fish ball, cuttlefish ball, surimi food, imitation crab stick, fish cake...etc.



各種魚糜製品（蟹足棒、魚丸、魚糕、模擬干貝、竹輪、貢丸）加工成套設備
Whole plant for making surimi seafood products such as imitation crab stick, fish ball, fish cake, imitation scallop, chikuwa, kamaboko.



貢丸、魚丸、墨魚丸、魚糜製品、模仿蟹肉、魚糕、魚餅、魚餃、干貝酥等各種冷凍調理食品整廠機械製造。
全自動鷄塊、漢堡、魚排成型機。
Whole plant equipment for producing meat ball, fish ball, cuttle fish ball, surimi food, imitation crab meat, fish cake, fish meat dumpling, imitation breaded scallop, frozen food. Automatically forming machine of diced chicken meat, hamburger. Fish steak.

真空高速斬拌機

Vacuum High Speed Cutter



型號 Type	全容量 Capacity	尺寸(m/m) Dimension	功率(Kw) Power	重量 Weight
VC-125L	125Liter(公升)	2400L × 1900W × 1600H	45Kw	2400kg
VC-200L	200Liter(公升)	2750L × 2250W × 1800H	54Kw	4100kg
VC-330L	330Liter(公升)	3100L × 2300W × 1900H	65Kw	4800kg
VC-400L	400Liter(公升)	3400L × 2600W × 2050H	80Kw	5300kg
VC-550L	550Liter(公升)	3800L × 2850W × 2150H	98Kw	5950kg

冷凍肉漿、魚漿、調味料在真空斬拌機圓盤內高速切碎、攪拌、混合，很短時間內即可完全混合乳化。肉漿內脂肪及營養不會被氧化，肉漿、魚漿成品不發熱，保持肉漿鮮度，增加彈性及成品脆度，且由於在真空圓盤快速即可乳化，所以可多加澱粉及水降低成本，製造出高質量的魚丸、蟹足棒、竹輪、魚板、魚糕、火鍋料、魚漿製品，冷凍調理食品。

(本機使用之刀軸馬達、刀具、軸承及主要機件全部德國進口產品)
台灣專業真空斬拌機製造工廠

Frozen meat paste, fish paste, seasoning material are finely cut, blended and mixed in the vacuum mince disc and fully blended and emulsified in a short time. The products under vacuum state, and which prevents fat and other nutrition contents being oxidized and destroyed. Their quality guarantee period may be prolonged. The meat paste and fish paste product is not heated, which allows the maintenance of freshness, elasticity and fragile of meat paste product. Also, as the product can emulsified rapidly in vacuum disc, so more starch and water may be added to reduce cost and produce high quality fish ball, imitation crab stick, chickuwa, kamaboko, fish cake, surimi seafood products, frozen food.

(The main shaft motor. knife. Bearing. main parts all of imported from Germany)
The specialized factory in Taiwan manufacturing Vacuum cutter.

高速斬拌機

High Speed Cutter



型號 Type	全容量 Capacity	尺寸(mm) Dimension	功率(Kw) Power	重量(kg) Weight
SF-C125	125Liter(公升)	2200L × 1800W × 1500H	45Kw	2100kg
SF-C230	230Liter(公升)	2400L × 2000W × 1600H	55Kw	3800kg
SF-C330	330Liter(公升)	2600L × 2200W × 1700H	70Kw	4200kg
SF-C400	400Liter(公升)	2800L × 2450W × 1850H	82Kw	4800kg
SF-C550	550Liter(公升)	3250L × 2700W × 2050H	105Kw	5850kg
SF-C650	650Liter(公升)	3400L × 2950W × 2300H	122Kw	6580kg

冷凍肉漿、魚漿、調味料在高速斬拌機皿盤內高速切碎、攪拌、混合，很短時間內即可完全混合乳化。肉漿內脂肪及營養不會被氧化，肉漿、魚漿成品不發熱，保持肉漿鮮度，增加彈性及成品脆度，且由於在皿盤快速即可乳化，所以可多加澱粉及水降低成本，製造出高質量的魚丸、蟹足棒、竹輪、魚板、魚糕、火鍋料、魚漿製品，冷凍調理食品。

(本機使用之刀軸馬達、刀具、軸承及主要機件全部德國進口產品)
台灣專業高速斬拌機製造工廠

Frozen meat paste, fish paste, seasoning material are finely cut, blended and mixed in the mince disc and fully blended and emulsified in a short time. The products under vacuum state, and which prevents fat and other nutrition contents being oxidized and destroyed. Their quality guarantee period may be prolonged. The meat paste and fish paste product is not heated, which allows the maintenance of freshness, elasticity and fragile of meat paste product. Also, as the product can emulsified rapidly in disc, so more starch and water may be added to reduce cost and produce high quality fish ball, imitation crab stick, chickuwa, kamaboko, fish cake, surimi seafood products, frozen food.

(The main shaft motor. knife. Bearing. main parts all of imported from Germany)
The specialized factory in Taiwan manufacturing high speed cutter.

貢丸、魚丸、蝦球、魚板、魚糕、干貝酥、魚豆腐、
Whole plant equipment for making meat ball, fish ball, Kamaboko,

蟹足棒、竹輪等火鍋料、冷凍調理食品製造全套設備生產流程
scallop, imitation crab stick, chikuwa, frozen food, surimi product.



冷凍肉→刨肉機→絞肉機
Frozen meat→Cutting machine→Mincer

冷凍肉→刨肉機→高速切削乳化機→多功能充填成型機

Frozen meat→Cutting machine→Silent cutter→Molding machine

→快速混漿機→貢丸成型機→連續式水煮機→冷卻→貢丸成品
→攪拌搗攪機→魚丸成型機→連續式水煮機→冷卻→魚丸成品
→Stirring machine→Meat ball forming machine→Boiling machine→Cooling machine→Meat ball products
→Milling & Stirring machine→Fish ball forming machine→Boiling machine→Cooling machine→Fish ball products
→連續式水煮機→魚板切片→蝦球成品
→連續式蒸熟機→自動切斷機→油炸機→魚豆腐、干貝酥
→連續式油炸機→北海翅、黑輪
→Boiling machine→Sliced kamaboko, Shrimp ball
→Steaming machine→Auto cutting machine→Fryer→Sliced fish cake, Fried scallop product
→Auto Fryer→Surimi products



冷凍肉刨片機
Frozen meat Cutting Machine

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-201	1600L×850W×1500H	5HP	800kg/hour(時)



絞肉機
Mincer

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-32	850L×550W×1400H	3HP	600kg/hour(時)
SF-42	900L×700W×1500H	5HP	1000kg/hour(時)



快速混漿機
Stirring Machine

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-203	1000L×700W×1650H	5HP	45kg/time(次)



攪拌搗攪機
Milling & Stirring Machine

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-204	1200L×1050W×1750H	5HP	60kg/time(次)
SF-214	1400L×1150W×1880H	10HP	100kg/time(次)




貢丸成型機
Meat Ball Making Machine

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-205	1100L×750W×1700H	1/2HP	120pcs(個)/minute(分)



魚丸成型機
Fish Ball Making Machine

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-206	800L×550W×1400H	1/2HP	200-400pcs(個)/minute(分)



高速斬拌機
Silent Cutter

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-C125	2200L×1800W×1500H	55HP	125L/time(次)
SF-C200	2400L×2000W×1600H	66HP	200L/time(次)
SF-C330	2800L×2200W×1700H	80HP	330L/time(次)




多用途充填成型機
Multi-Function Molding Machine

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-208	900L×600W×1700H	1/2HP	500kg/hour(時)




連續式水煮機
Auto Boiling Machine

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-209	10000L×1200W×1450H	3HP	600kg/hour(時)



連續式蒸熟機
Auto Steaming Machine

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-220	9000L×850W×1800H	4HP	300kg/hour(時)



自動切斷機
Auto Cutting Machine

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-230	1200L×680W×1550H	1/2HP	600kg/hour(時)



全自動油炸機
Auto Fryer

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-240	4300L×1100W×2700H	4 1/2HP	250kg/hour(時)
SF-242	6300L×1100W×2700H	6 1/2HP	400kg/hour(時)
SF-244	7300L×1250W×2800H	7 1/2HP	600kg/hour(時)

真空定量灌腸機

Vacuum Filler




本機採用葉片式真空灌裝，可減少脂肪氧化，避免蛋白水解作用並減少細菌存活，保證產品的色澤良好，儲存壽命較長。

Vacuum Filler adopts blade pump for filling that can reduce fat oxidization and prevent protein hydrolysis reaction due to no heat generated. Products filled under vacuum state are denser. Their quality guarantee period could be prolonged.

型號 Type	最大灌漿能力 Filling capacity (kg/hour)	料斗容量 Hopper volume (L)	真空度 Vacuum (Mpa)	功率 Power (Kw)	外形尺寸 Contour dimension (mm)	重量 Weight (kg)
SF-3500	3500	220	-0.1	6.5	1400Lx1000Wx1850H	550

全自動包餡成型機

Auto Encrusting Machine



高速100個/分鐘



SF-168型包餡成型機是專門用於生產烘焙類點心，月餅、麻薯、肉包、鳳梨酥以及包心肉丸、魚丸等肉類魚漿加工食品。本機型為新型改良，機器輕巧、操作方便、產能高速每分鐘可達到100個，是一款單機多功能的食品包餡機。而且製品大小、皮餡比例可以自動調整，亦可更換成型模具做出各種多樣化不同的包餡食品。

The SF-168 model encrusting machine is for producing baking dessert, moon cake, mochi, meat bun and pineapple cake as well as meat and surimi processing products including stuffed meat ball and fish ball. It is an upgraded model, which features in light and handy, convenient operation and high-speed production, with production capacity can reach to 100 pcs/min. As a food encrusting machine with many functions, it is also available for automatic adjustment the size of products and ratio of shape dough and stuffing. And it can replace the molding for production of diversified stuffing food.


產品內容

月餅、麻薯、肉包、老婆餅、麻薯餅、鳳梨酥、包心魚丸等

型號 Type	外形尺寸 Contour dimension (mm)	功率 Power (Kw)	能力 Capacity	重量 Weight (g)
SF-168	1800Lx900Wx1650H	1.5	30-100pcs(個)/minute(分)	12-260

魚糜(魚漿)製造成套設備 Surimi Plant

原料魚→洗魚、除鱗機→採魚肉機→漂洗機→抽漿泵→魚肉迴轉篩→強力濾筋機→螺旋脫水機→高速斬拌機→充填成型機→凍結成品
FISH→FISH WASHER & SCALER→MEAT SEPARATOR→DE-FATTED & BLEACHING TANK→VACUUM PUMP→ROTARY SIEVE→REFINER→SCREW PRESS→SILENT CUTTER→FILLING MACHINE→FROZEN PRODUCTS



除鱗機
SCALER

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-L360	3600L x 1050W x 1150H	2HP	3600kg/hour(時)
SF-L480	4800L x 1150W x 1250H	3HP	4800kg/hour(時)



自動洗魚機
FISH WASHER

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-W360	3600L x 1050W x 1150H	2HP	3600kg/hour(時)
SF-W480	4800L x 1150W x 1250H	3HP	4800kg/hour(時)




採魚肉機
MEAT SEPARATOR

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-S75	1200L x 1050W x 1350H	7.5HP	1500-2000kg/hour(時)
SF-S150	1400L x 1150W x 1550H	15HP	2500-3000kg/hour(時)




魚肉迴轉篩
ROTARY SIEVE

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-R360	3600L x 1050W x 1200H	1.5HP	1500kg/hour(時)
SF-R480	4800L x 1150W x 1400H	2HP	2000kg/hour(時)



精濾機
REFINER

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-F75	1950L x 800W x 1000H	7.5HP	400-600kg/hour(時)
SF-F100	3300L x 800W x 1000H	15HP	800-1000kg/hour(時)
SF-F125	3800L x 900W x 1000H	20HP	1200-1500kg/hour(時)



螺旋脫水機
SCREW PRESS

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-P300	5100L x 900W x 1100H	2HP	500-700kg/hour(時)
SF-P400	6500L x 900W x 1100H	5HP	700-900kg/hour(時)
SF-P500	8000L x 1000W x 1200H	7.5HP	1100-1300kg/hour(時)




高速斬拌機
SILENT CUTTER

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-C125	2200L x 1800W x 1500H	55HP	125L/time(次)
SF-C200	2400L x 2000W x 1600H	66HP	200L/time(次)
SF-C330	2800L x 2200W x 1700H	80HP	300L/time(次)




充填成型機
FILLING MACHINE

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-F150	1700L x 1100W x 800H	5HP	1500kg/hour(時)



冷凍肉切片切塊機

Frozen Meat Slicer & Dicer



本機可直接將零下18℃的冷凍肉類、魚塊，不需解凍直接切成6mm及10mm厚的肉片。

The machine can slice -18℃ frozen meats and surimi directly into the thickness of 6mm and 10mm without defrosting them

型號 Type	外形尺寸 Contour dimension (mm)	功率 Power (Kw)	能力 Capacity
SF-MS 3000	2400L x 1100W x 1200H	11	2500-3000 kg/hour(時)

磨骨漿機

Bone Mill



骨頭變成肉漿!! 廢料變成黃金!!
Turning Bones into Meat paste!! Turning Waste into Gold!!

可將豬骨、牛羊骨、鷄鴨骨架、豬皮、魚骨、蝦頭等磨成骨漿。

經過超微細骨漿機研磨出來的骨漿毫無粗糙感，細度可達100目至200目，骨漿富含人體所需要的營養素，包含各種氨基酸、維生素、鐵質，磷質，鈣質膠原蛋白等。

骨頭磨成骨肉漿後，可適量加入肉製品原料中，做成肉餅、肉丸、魚丸、香腸、火腿腸、速凍食品以及雞精、調味料、骨膠、骨粉、骨湯、寵物食品等。

It can grind pig bones,cattle and sheep bones,chicken and duck body bones,pig skin,fish bones and shrimp heads into bone paste.The bone paste grinded by the ultra-micro bone mill that does not feel rough and the finenesses can reach 100mesh to 200mesh. The bone paste contains many of the nutrients required by the human body,including various amino acids,vitamins,iron, phosphorus,calcium,collagen protein,etc.

After grinding the bones into meat paste, it can be properly blended with the raw materials of meat products to make hamburger steak ,meat balls ,fish balls,sausages ,hams ,frozen foods and can be used as condiment,bone glue,bone powder,bone soup and feed,etc.


型號 (Type)	尺寸 (Dimension)mm	功率 (Power)	能力 (Capacity)
BM-400	1050L x 550W x 1200H	11KW	100-400kg/hour(時)
BM-800	1150L x 660W x 1350H	22KW	400-800kg/hour(時)
BM-2000	1450L x 750W x 1500H	37KW	800-2000kg/hour(時)

全自動裹漿裹粉機

Auto Battering & Breading Machine

適用於鷄塊、魚排、薯條、干貝酥、珍珠丸、漢堡、排骨等食品裹漿上麵包屑及裹粉。

Uses: for bread the fish steak, chicken stick, sliced scallop, meat hamburger.



型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-501	3600L x 1100W x 2500H	2 1/2HP	200pcs(個)/minute(分)
SF-502	3600L x 1350W x 2600H	3 1/2HP	300pcs(個)/minute(分)

多用途充填成型機

Multi-Function Molding Machine

可更換成型模具製成魚板、魚豆腐、一口天、蝦球、北海翅等各種火鍋料。

Uses: for making kamaboko, scallop, surimi products.



型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-208	900L x 600W x 1700H	2 1/2HP	500kg/hour(時)

煎炸油濾油機(油炸機用)

Continuous Fried Oil Filter

本機優點

- ★ 可有效防止過氧化物產生
- ★ 濾除油炸油中的碳化物及微細懸浮雜質
- ★ 抑制油脂酸價提高
- ★ 自動連續高溫下過濾
- ★ 濾油機阻塞可自動警報關機
- ★ 延長油炸油的使用壽命一倍以上
- ★ 可提高油炸食品的保存期限

Advantages:

- ★ Prevent production of peroxide in effect.
- ★ Filter carbide and suspending impurities in fried oil.
- ★ Restrain rising of oil-acid value.
- ★ Automatic continuous filtering under high temperature.
- ★ Automatic alarm and shut off if blocked in oil-filter.
- ★ Prolong life of fried oil more than on time.
- ★ Prolong preserving time-limit of fried food.

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-130F	1400L x 1250W x 1500H	5HP	130L/minute(分)



自動剝魚皮機

Fish Skinner

適用於各種魚類、魷魚、花枝剝皮用。

Uses: suit for skinning all kinds of fish, squid, cuttlefish.



型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-511	550L x 480W x 400H	1/2HP	30pcs(條)/minute(分)

魚剖開分片去中骨機

Fish Filleting Machine

適用於各種魚類、魷魚、鰻魚剖開去中骨用。

Uses: All kinds of fish passing through filleting machine fish's bodies are divided into 3 pieces.




型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-521	1400L x 750W x 1300H	1HP	30pcs(條)/minute(分)

連續式除油、除水機

Automatic Continuous De-Oil Machine

適用於各種油炸食品、水煮食品

新型專利第171056號(仿冒必究)



本機優點

- ★ 有效去除油炸食品表面含油之連續脫油機。
- ★ 適用於各種油炸食品連續去除表面油脂。
- ★ 本機可有效降低油炸食品含油量，延長食品保質期。

Advantages:

- ★ Effective continuous de-oil on fried food surface currently.
- ★ Suitable to de-oil continuously on various fried food surface.
- ★ Effectively reduce the oil quantity, and prolong the preserving time-limit.

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-15R	1700L x 1000W x 1800H	15HP	600kg/hour(時)

全自動連續式水煮機

Automatic Boiling Machine



用途：適用於貢丸、魚丸、墨魚丸、蝦丸、各種魚漿、肉漿製品全自動連續水煮。

Uses: for boiling meat ball, cuttlefish ball, fish ball, shrimp ball, surimi products, meat paste products.

本機優點：

- ★ 整台水煮機採用不銹鋼製造，符合食品衛生。
- ★ 本機使用不銹鋼網全自動輸送水煮食品，附變頻器無極調速，可任意調節水煮的時間，適用於各種的食品水煮。
- ★ 水煮槽採特殊蒸汽加熱設計，且水温使用全自動温控裝置，因此水煮槽内的温度非常均匀，可全面提升水煮產品質量。
- ★ 本機精心設計，水煮槽内無任何死角，水煮食品不會殘留在水槽内。
- ★ 附自動吊升裝置可將整台輸送機及頂罩吊離水槽，易於清洗，符合HACCP標準。
- ★ 水煮槽上附頂罩，易於排氣，可避免蒸氣散布整個工廠。

型號 Type	尺寸(m/m) Dimension	功率(Kw) Power	能力 Capacity
SF-B208	8000L × 1200W × 2400H	2.2Kw	400~600kg/hour(時)
SF-B212	12000L × 1200W × 2400H	4Kw	600~800kg/hour(時)
SF-B216	16000L × 1450W × 2500H	5Kw	1000~1500kg/hour(時)

快速低溫解凍機

Defrosting Machine



整塊凍肉、凍魚、水產品在低溫解凍槽內，利用特殊風泵、水泵、自動温控原理，使冷凍物品在低溫下快速解凍(解凍時間約30至90分)。由於在低溫狀態下短時間解凍，所以解凍後的肉類成品可保持高度新鮮，更不會有污物、血水流出，造成排水環境污染。

Fast Defrost whole pieces meat, fish or sea food in Low Temperature Defrosting Tank by special air pump and water pump with Automatic Temperature Control Principle. (Defrosting time ranges from 30 to 90 minutes) Since the food is defrosted under low temperature and in short time, so the defrosted meat is maintained in high freshness and there would not be contamination or blood flow out to cause damage to waters and environment.

型號 Type	尺寸(m/m) Dimension	馬力(HP) Power	能力 Capacity
SF-1000	3600L × 2000W × 2700H	8HP	1000kg/time(次)
SF-2000	5200L × 2100W × 2900H	12.5HP	2000kg/time(次)

切肉丁機 (切肉丁、肉絲、肉片)

Diced meat cutter



- ★ 本機全部採用不銹鋼製造。
- ★ 切割肉丁的尺寸由4m/m至30m/m。
- ★ 採用自動調速裝置，可調整切割厚度。
- ★ The machine all of stainless made.
- ★ The size of diced meat from 4m/m to 30m/m.
- ★ The different cutting thickness by adjust speed regulator.

型號 Type	能力 Capacity	切割槽尺寸(m/m) Cutting slot dimension	功率(Kw) Power	切割尺寸(m/m) Cutting dimension	尺寸(m/m) Dimension	重量(kg) Weight
SF-D400	400kg/hour(時)	84 × 84 × 350	1.5Kw	4~27	1300L × 700W × 1000H	420kg
SF-D700	700kg/hour(時)	120 × 120 × 550	3.0Kw	4~30	1700L × 800W × 1150H	510kg

魚餃製造成套設備

Whole equipment of fish dumpling product.



魚餃皮壓皮成型機
Fish dumpling sheeting machine.



雙螺旋餡料擠壓機
Double screw filling extruder




成品包裝輸送機
Product packing conveyor



真空和麵機
Vacuum kneading machine.



五軸螺旋軸擠壓機
Five screw axis extruder.




魚餃皮切條機
Fish dumpling slice cutting machine.



雙螺旋餡料擠壓機
Double screw filling extruder




成型卷包機
Forming & wrapping machine.



自動切斷機
Automatic cutting machine.

魚餃生產設備流程示意圖 Flow chart of fish dumpling product process.



魚粉製造成套設備

Whole Plant Equipment For Making Fishmeal

螺旋輸送機 → 連續式蒸煮機 → 螺旋壓榨機 → 全自動連續式乾燥機 → 冷却裝置 → 粉碎機 → 集粉裝置 → 魚粉成品
(Screw Conveyor) (Auto Steaming Maching) (Screw Press) (Auto Continuous Dryer) (Cooling System) (Hammer Mill) (Collecting System) (Fishmeal Products)
↳ 榨汁 → 濃縮槽
(Concentration Tank)



蒸煮機
(Auto Steaming Maching)




壓榨機
(Screw Press)



乾燥機
(Auto Continuous Dryer)



魚粉冷却機
(Cooling System)



粉碎機
(Hammer Mill)



真空濃縮桶
(Concentration Tank)

魚粉生產工藝流程示意圖

